


CYLINDER PLAIN



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBCP/T2H1.3-03.0mm	3.00	1.30	0.120
IBCP/T2H1.8-04.0mm	4.00	1.80	0.240
IBCP/T2H2.5-05.0mm	5.00	2.50	0.384
IBCP/T2H3.2-06.0mm	6.00	3.20	0.840

DISCS




ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBD/T2H1.2-03.3mm	3.30	1.20	0.052
IBD/T2H1.6-04.4mm	4.40	1.60	0.103
IBD/T2H1.9-05.6mm	5.60	1.90	0.170
IBD/T2H2.1-06.8mm	6.80	2.10	0.350

DISCS CORRUGATED



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBDC/T2H1.2-03.3mm	3.30	1.20	0.052
IBDC/T2H1.6-04.4mm	4.40	1.60	0.103
IBDC/T2H1.9-05.6mm	5.60	1.90	0.173

DISCS STARDUST



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBDS/T2H1.2-03.3mm	3.30	1.20	0.052
IBDS/T2H1.6-04.4mm	4.40	1.60	0.103
IBDS/T2H1.9-05.6mm	5.60	1.90	0.169
IBDS/T2H2.1-06.8mm	6.80	2.10	0.350

OVAL CORRUGATED



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBOC/T2H1.2-03.0mm	3.00	1.20	0.086
IBOC/T2H1.2-04.0mm	4.00	1.20	0.160
IBOC/T2H1.2-05.0mm	5.00	1.20	0.334
IBOC/T2H1.3-04.0mm	4.00	1.30	0.160
IBOC/T2H1.4-06.0mm	6.00	1.40	0.398
IBOC/T2H1.4-07.0mm	7.00	1.40	0.644
IBOC/T2H1.8-06.0mm	6.00	1.80	0.526
IBOC/T2H2.0-07.0mm	7.00	2.00	0.993
IBOC/T2H2.1-05.0mm	5.00	2.10	0.270
IBOC/T2H2.1-08.0mm	8.00	2.10	1.243

OVAL DIAMOND CUT DISCO



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBODD/3FT2H1.2-03.0mm	3.00	1.20	0.060
IBODD/3FT2H1.3-04.0mm	4.00	1.30	0.120
IBODD/5FT2H1.3-04.0mm	4.00	1.30	0.133

OVAL HAMMERED



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBOH/T2H1.3-03.0mm	3.00	1.30	0.089
IBOH/T2H1.5-04.0mm	4.00	1.50	0.180
IBOH/T2H2.0-05.0mm	5.00	2.00	0.280

OVAL PLAIN



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBOP/T2H1.2-03.0x04.6mm	03.0x04.6	1.20	0.097
IBOP/T2H1.3-04.0x07.0mm	04.0x07.0	1.30	0.200
IBOP/T2H1.8-06.0x07.0mm	06.0x07.0	1.80	0.420
IBOP/T2H1.8-06.0x09.6mm	06.0x09.6	1.80	0.714
IBOP/T2H1.9-05.0x08.0mm	05.0x08.0	1.90	0.310
IBOP/T2H2.0-07.0x08.0mm	07.0x08.0	2.00	0.710
IBOP/T2H2.0-07.0x11.6mm	07.0x11.6	2.00	1.000
IBOP/T2H2.1-05.0x08.0mm	05.0x08.0	2.10	0.322
IBOP/T2H2.1-08.0x13.2mm	08.0x13.2	2.10	1.428
IBOP/T2H2.5-10.0mm	10.00	2.50	2.500

OVAL PLAIN LIGHT WEIGHT



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBOPLW/T2H1.6-08.0mm	8.00	1.60	1.000

OVAL STARDUST



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBOS/T2H1.2-03.0mm	3.00	1.20	0.096
IBOS/T2H1.3-04.0mm	4.00	1.30	0.175
IBOS/T2H1.8-06.0mm	6.00	1.80	0.714
IBOS/T2H2.0-07.0mm	7.00	2.00	1.111
IBOS/T2H2.1-05.0mm	5.00	2.10	0.313
IBOS/T2H2.1-08.0mm	8.00	2.10	1.428
IBOS/T2H2.5-10.0mm	10.00	2.50	2.500

OVAL STARDUST LIGHT WEIGHT



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBOSLW/T2H1.6-08.0mm	8.00	1.60	1.000

RING



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRR/T2H2.2-04.0mm	4.00	2.20	0.050
IBRR/T2H3.3-05.0mm	5.00	3.30	0.066
IBRR/T2H4.0-06.0mm	6.00	4.00	0.109
IBRR/T2H4.6-07.0mm	7.00	4.60	0.140
IBRR/T2H5.2-08.0mm	8.00	5.20	0.230

ROUND CORRUGATED



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRC/T2H1.2-03.0mm	3.00	1.20	0.050
IBRC/T2H1.5-03.0mm	3.00	1.50	0.052
IBRC/T2H1.5-04.0mm	4.00	1.50	0.120
IBRC/T2H1.5-05.0mm	5.00	1.50	0.204
IBRC/T2H1.6-06.0mm	6.00	1.60	0.300
IBRC/T2H1.8-04.0mm	4.00	1.80	0.087
IBRC/T2H1.8-06.0mm	6.00	1.80	0.303
IBRC/T2H1.9-07.0mm	7.00	1.90	0.495

ROUND CORRUGATED



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRC/T2H2.2-05.0mm	5.00	2.20	0.140
IBRC/T2H2.4-06.0mm	6.00	2.40	0.230
IBRC/T2H2.4-06.0mmA	6.00	2.40	0.273
IBRC/T2H2.8-07.0mm	7.00	2.80	0.526
IBRC/T2H3.0-08.0mm	8.00	3.00	0.714
IBRC/T2H3.4-09.0mm	9.00	3.40	0.909
IBRC/T2H3.4-10.0mm	10.00	3.40	1.250
IBRC/T2H3.9-11.0mm	11.00	3.90	1.666

ROUND DIAMOND CUT DISCO



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDD/3FT2H1.1-02.5mm	2.50	1.10	0.023
IBRDD/3FT2H1.2-03.0mm	3.00	1.20	0.043
IBRDD/3FT2H1.5-03.0mm	3.00	1.50	0.044
IBRDD/3FT2H1.5-04.0mm	4.00	1.50	0.081
IBRDD/3FT2H1.8-04.0mm	4.00	1.80	0.060
IBRDD/3FT2H2.2-05.0mm	5.00	2.20	0.116
IBRDD/5FT2H2.4-06.0mm	6.00	2.40	0.187
IBRDD/5FT2H5.0-10.0mm	10.00	5.00	0.574

ROUND DIAMOND CUT FACETED PYRAMID



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDFP/T2H1.2-02.5mm	2.50	1.20	0.027
IBRDFP/T2H1.2-03.0mm	3.00	1.20	0.041
IBRDFP/T2H1.5-03.0mm	3.00	1.50	0.040
IBRDFP/T2H1.5-04.0mm	4.00	1.50	0.087
IBRDFP/T2H1.5-05.0mm	5.00	1.50	0.164
IBRDFP/T2H1.8-04.0mm	4.00	1.80	0.080
IBRDFP/T2H1.8-06.0mm	6.00	1.80	0.320
IBRDFP/T2H2.2-05.0mm	5.00	2.20	0.160
IBRDFP/T2H2.4-06.0mm	6.00	2.40	0.290

ROUND DIAMOND CUT MULTI-CUT



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDM/T2H1.2-03.0mm	3.00	1.20	0.044
IBRDM/T2H1.5-03.0mm	3.00	1.50	0.039
IBRDM/T2H1.5-04.0mm	4.00	1.50	0.063
IBRDM/T2H1.5-05.0mm	5.00	1.50	0.161
IBRDM/T2H1.8-04.0mm	4.00	1.80	0.060
IBRDM/T2H2.2-05.0mm	5.00	2.20	0.104

ROUND DIAMOND CUT MULTI-FACETED PYRAMID



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDMFP/T2H1.2-03.0mm	3.00	1.20	0.034
IBRDMFP/T2H1.5-03.0mm	3.00	1.50	0.030
IBRDMFP/T2H1.5-04.0mm	4.00	1.50	0.063
IBRDMFP/T2H1.8-04.0mm	4.00	1.80	0.060
IBRDMFP/T2H2.2-05.0mm	5.00	2.20	0.099
IBRDMFP/T2H2.4-06.0mm	6.00	2.40	0.186
IBRDMFP/T2H3.0-08.0mm	8.00	3.00	0.452

ROUND DIAMOND CUT SMILE



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDMSM/T2H1.2-03.0mm	3.00	1.20	0.034
IBRDMSM/T2H1.5-03.0mm	3.00	1.50	0.030
IBRDMSM/T2H1.5-04.0mm	4.00	1.50	0.063
IBRDMSM/T2H1.5-05.0mm	5.00	1.50	0.078
IBRDMSM/T2H1.8-04.0mm	4.00	1.80	0.060
IBRDMSM/T2H2.2-05.0mm	5.00	2.20	0.099

ROUND DIAMOND CUT V



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDV/T2H1.2-03.0mm	3.00	1.20	0.034
IBRDV/T2H1.5-03.0mm	3.00	1.50	0.030
IBRDV/T2H1.5-04.0mm	4.00	1.50	0.063
IBRDV/T2H1.8-04.0mm	4.00	1.80	0.060
IBRDV/T2H2.2-05.0mm	5.00	2.20	0.099

ROUND HAMMERED



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRH/T2H1.5-03.0mm	3.00	1.50	0.049
IBRH/T2H1.5-04.0mm	4.00	1.50	0.096
IBRH/T2H1.5-05.0mm	5.00	1.50	0.170
IBRH/T2H1.8-06.0mm	6.00	1.80	0.380

ROUND PLAIN



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRP/T2H0.8-01.8mm	1.80	0.80	0.018
IBRP/T2H0.8-02.0mm	2.00	0.80	0.020
IBRP/T2H0.9-02.0mm	2.00	0.90	0.024
IBRP/T2H0.9-02.2mm	2.20	0.90	0.024
IBRP/T2H0.9-02.5mm	2.50	0.90	0.039
IBRP/T2H0.9-03.0mm	3.00	0.90	0.055
IBRP/T2H1.0-02.2mm	2.20	1.00	0.028
IBRP/T2H1.0-03.0mm	3.00	1.00	0.057
IBRP/T2H1.1-02.5mm	2.50	1.10	0.030
IBRP/T2H1.1-04.0mm	4.00	1.10	0.122
IBRP/T2H1.1-05.0mm	5.00	1.10	0.177
IBRP/T2H1.2-02.5mm	2.50	1.20	0.038
IBRP/T2H1.2-03.0mm	3.00	1.20	0.054
IBRP/T2H1.3-02.5mm	2.50	1.30	0.031
IBRP/T2H1.4-03.5mm	3.50	1.40	0.075
IBRP/T2H1.4-08.0mm	8.00	1.40	0.909
IBRP/T2H1.5-03.0mm	3.00	1.50	0.052
IBRP/T2H1.5-04.0mm	4.00	1.50	0.109
IBRP/T2H1.5-05.0mm	5.00	1.50	0.178
IBRP/T2H1.5-06.0mm	6.00	1.50	0.237
IBRP/T2H1.6-03.5mm	3.50	1.60	0.071
IBRP/T2H1.8-04.0mm	4.00	1.80	0.103
IBRP/T2H1.8-04.5mm	4.50	1.80	0.132
IBRP/T2H1.8-05.0mm	5.00	1.80	0.193
IBRP/T2H1.8-06.0mm	6.00	1.80	0.357
IBRP/T2H1.8-07.0mm	7.00	1.80	0.476
IBRP/T2H1.9-04.5mm	4.50	1.90	0.155
IBRP/T2H2.0-04.5mm	4.50	2.00	0.118
IBRP/T2H2.0-08.0mm	8.00	2.00	0.628
IBRP/T2H2.1-09.0mm	9.00	2.10	0.811
IBRP/T2H2.2-05.0mm	5.00	2.20	0.169
IBRP/T2H2.2-10.0mm	10.00	2.20	1.180
IBRP/T2H2.4-06.0mm	6.00	2.40	0.344
IBRP/T2H2.8-07.0mm	7.00	2.80	0.454
IBRP/T2H3.0-08.0mm	8.00	3.00	0.578
IBRP/T2H3.2-06.0mm	6.00	3.20	0.212
IBRP/T2H3.4-09.0mm	9.00	3.40	0.787
IBRP/T2H3.4-10.0mm	10.00	3.40	1.107
IBRP/T2H3.9-11.0mm	11.00	3.90	1.666
IBRP/T2H5.3-12.0mm	12.00	5.30	2.000
IBRP/T2H7.0-12.0mm	12.00	7.00	2.000
TBRP/S2H0.8-02.0mm	2.00	0.80	0.024
TBRP/S2H0.8-03.0mm	3.00	0.80	0.083
TBRP/S2H1.1-03.0mm	3.00	1.10	0.069
TBRP/S2H1.3-03.5mm	3.50	1.30	0.099
TBRP/S2H1.4-05.0mm	5.00	1.40	0.319
TBRP/S2H1.6-05.1mm	5.10	1.60	0.333
TBRP/S2H1.7-04.2mm	4.20	1.70	0.154
TBRP/S2H2.2-05.3mm	5.30	2.20	0.340
TBRP/S2H2.2-06.3mm	6.30	2.20	0.493

ROUND PLAIN LIGHT WEIGHT



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRPLW/T2H0.8-03.0mm	3.00	0.80	0.035
IBRPLW/T2H0.9-01.8mm	1.80	0.90	0.014
IBRPLW/T2H0.9-02.0mm	2.00	0.90	0.018
IBRPLW/T2H0.9-02.5mm	2.50	0.90	0.028
IBRPLW/T2H0.9-03.0mm	3.00	0.90	0.042
IBRPLW/T2H1.0-02.2mm	2.20	1.00	0.020
IBRPLW/T2H1.0-04.0mm	4.00	1.00	0.090
IBRPLW/T2H1.2-02.5mm	2.50	1.20	0.028
IBRPLW/T2H1.2-03.0mm	3.00	1.20	0.043
IBRPLW/T2H1.2-04.0mm	4.00	1.20	0.093
IBRPLW/T2H1.4-05.0mm	5.00	1.40	0.138
IBRPLW/T2H1.4-06.0mm	6.00	1.40	0.225
IBRPLW/T2H1.5-03.0mm	3.00	1.50	0.041
IBRPLW/T2H1.5-04.0mm	4.00	1.50	0.082
IBRPLW/T2H1.5-05.0mm	5.00	1.50	0.138
IBRPLW/T2H1.5-09.0mm	9.00	1.50	0.813
IBRPLW/T2H1.6-05.0mm	5.00	1.60	0.148
IBRPLW/T2H1.6-06.0mm	6.00	1.60	0.228
IBRPLW/T2H1.6-08.0mm	8.00	1.60	0.630
IBRPLW/T2H1.7-07.0mm	7.00	1.70	0.393
IBRPLW/T2H1.8-04.0mm	4.00	1.80	0.074
IBRPLW/T2H1.8-06.0mm	6.00	1.80	0.228
IBRPLW/T2H1.8-07.0mm	7.00	1.80	0.357
IBRPLW/T2H1.8-08.0mm	8.00	1.80	0.578
IBRPLW/T2H1.8-10.0mm	10.00	1.80	0.896
IBRPLW/T2H2.0-08.0mm	8.00	2.00	0.507
IBRPLW/T2H2.2-05.0mm	5.00	2.20	0.126
IBRPLW/T2H2.4-06.0mm	6.00	2.40	0.212
IBRPLW/T2H2.5-08.0mm	8.00	2.50	0.476
IBRPLW/T2H2.6-10.0mm	10.00	2.60	0.916
IBRPLW/T2H2.7-07.0mm	7.00	2.70	0.322
IBRPLW/T2H2.7-11.0mm	11.00	2.70	1.190
IBRPLW/T2H2.9-10.0mm	10.00	2.90	0.943
IBRPLW/T2H3.0-08.0mm	8.00	3.00	0.483
IBRPLW/T2H3.0-10.0mm	10.00	3.00	0.970
IBRPLW/T2H3.1-12.0mm	12.00	3.10	1.428
IBRPLW/T2H3.4-09.0mm	9.00	3.40	0.598
IBRPLW/T2H4.0-08.0mm	8.00	4.00	0.454
IBRPLW/T2H4.0-10.0mm	10.00	4.00	0.847

ROUND PLAIN ONE HOLE



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRP/S1H0.9-03.0mm	3.00	0.90	0.059
IBRP/S1H0.9-04.0mm	4.00	0.90	0.112
IBRP/S1H0.9-05.0mm	5.00	0.90	0.212
IBRP/S1H0.9-06.0mm	6.00	0.90	0.322
IBRP/S1H0.9-07.0mm	7.00	0.90	0.526
IBRP/S1H0.9-08.0mm	8.00	0.90	0.769
IBRP/S1H0.9-09.0mm	9.00	0.90	1.000
IBRP/S1H0.9-10.0mm	10.00	0.90	1.428
IBRP/S1H0.9-12.0mm	12.00	0.90	2.000

ROUND PLAIN SMART



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRPS/T2H1.5(0.1)-03.0mm	3.00	1.5(0.1)	0.054
IBRPS/T2H1.8(0.2)-04.0mm	4.00	1.8(0.2)	0.122
IBRPS/T2H2.2(0.7)-05.0mm	5.00	2.2(0.7)	0.203
IBRPS/T2H2.4(1.0)-06.0mm	6.00	2.4(1.0)	0.298
IBRPS/T2H4.5(2.2)-10.0mm	10.00	4.5(2.2)	1.262
IBRPS/T2H4.5(2.0)-08.0mm	8.00	4.5(2.0)	0.673

ROUND PLAN SMART WITH CLOSED LINK



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRPS/CL(0.5x1.8)T2H 1.8-04.0mm	4.00	1.8(0.5)	0.154
IBRPS/CL(0.5x1.8)T2H 2.2-05.0mm	5.00	2.2(0.5)	0.214

ROUND PLAN SMART WITH OPEN LINK



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRPS/LT2H1.5(0.1)-03.0mm	3.00	1.5(0.1)	0.065
IBRPS/LT2H1.8(0.2)-04.0mm	4.00	1.8(0.2)	0.150
IBRPS/LT2H2.2(0.7)-05.0mm	5.00	2.2(0.7)	0.224
IBRPS/LT2H2.4(1.0)-06.0mm	6.00	2.4(1.0)	0.347

ROUND PLAIN WITHOUT HOLE



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRP/S-03.0mm	3.00		0.063
IBRP/S-04.0mm	4.00		0.127
IBRP/S-05.0mm	5.00		0.198
IBRP/S-06.0mm	6.00		0.324

ROUND PLAIN X-LIGHT WEIGHT




ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRPXLW/T2H1.2-03.0mm	3.00	1.20	0.033
IBRPXLW/T2H1.5-03.0mm	3.00	1.50	0.032
IBRPXLW/T2H1.5-04.0mm	4.00	1.60	0.068
IBRPXLW/T2H1.8-04.0mm	4.00	1.80	0.059
IBRPXLW/T2H1.5-05.0mm	5.00	1.50	0.113
IBRPXLW/T2H1.8-06.0mm	6.00	1.80	0.181
IBRPXLW/T2H1.8-08.0mm	8.00	1.80	0.264
IBRPXLW/T2H1.9-05.0mm	5.00	1.90	0.071
IBRPXLW/T2H2.0-06.0mm	6.00	2.00	0.099
IBRPXLW/T2H2.0-08.0mm	8.00	2.00	0.384
IBRPXLW/T2H1.8-07.0mm	7.00	1.80	0.277
IBRPXLW/T2H2.3-09.0mm	9.00	2.30	0.462
IBRPXLW/T2H2.2-05.0mm	5.00	2.40	0.107
IBRPXLW/T2H2.4-10.0mm	10.00	2.40	0.537
IBRPXLW/T2H2.4-06.0mm	6.00	2.40	0.169
IBRPXLW/T2H2.7-07.0mm	7.00	2.70	0.250
IBRPXLW/T2H3.0-12.0mm	12.00	3.00	0.757
IBRPXLW/T2H3.0-08.0mm	8.00	3.00	0.370
IBRPXLW/T2H3.4-09.0mm	9.00	3.40	0.476

ROUND SATIN LIGHT WEIGHT



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRSALW/T2H1.8-08.0mm	8.00	1.80	0.260
IBRSALW/T2H1.9-05.0mm	5.00	1.90	0.073
IBRSALW/T2H2.0-06.0mm	6.00	2.00	0.102
IBRSALW/T2H2.3-09.0mm	9.00	2.30	0.438
IBRSALW/T2H2.5-10.0mm	10.00	2.50	0.531
IBRSALW/T2H3.0-12.0mm	12.00	3.00	0.757

ROUND STARDUST



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRS/S2H1.2-03.0mm	3.00	1.20	0.055
IBRS/S2H1.2-04.0mm	4.00	1.20	0.111
IBRS/S2H1.2-05.0mm	5.00	1.20	0.210
IBRS/S2H1.2-06.0mm	6.00	1.20	0.312
IBRS/S2H1.2-07.0mm	7.00	1.20	0.526
IBRS/S2H1.2-08.0mm	8.00	1.20	0.769
IBRS/S2H1.2-09.0mm	9.00	1.20	1.000

ROUND STARDUST




ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRS/S2H1.2-10.0mm	10.00	1.20	1.428
IBRS/S2H1.4-04.0mm	4.00	1.40	0.111
IBRS/S2H1.4-05.0mm	5.00	1.40	0.210
IBRS/S2H1.4-06.0mm	6.00	1.40	0.312
IBRS/S2H1.4-07.0mm	7.00	1.40	0.526
IBRS/S2H1.4-08.0mm	8.00	1.40	0.769
IBRS/S2H1.4-09.0mm	9.00	1.40	1.000
IBRS/S2H1.4-10.0mm	10.00	1.40	1.428
IBRS/T2H1.0-03.0mm	3.00	1.00	0.065
IBRS/T2H1.0-04.0mm	4.00	1.00	0.102
IBRS/T2H1.2-03.0mm	3.00	1.20	0.059
IBRS/T2H1.4-08.0mm	8.00	1.40	0.909
IBRS/T2H1.5-03.0mm	3.00	1.50	0.055
IBRS/T2H1.5-04.0mm	4.00	1.50	0.096
IBRS/T2H1.5-05.0mm	5.00	1.50	0.185
IBRS/T2H1.8-04.0mm	4.00	1.80	0.092
IBRS/T2H1.8-05.0mm	5.00	1.80	0.181
IBRS/T2H1.8-06.0mm	6.00	1.80	0.400
IBRS/T2H2.2-05.0mm	5.00	2.20	0.175
IBRS/T2H2.2-06.0mm	6.00	2.20	0.224
IBRS/T2H2.2-10.0mm	10.00	2.20	1.428
IBRS/T2H2.4-06.0mm	6.00	2.40	0.384
IBRS/T2H2.7-12.0mm	12.00	2.70	2.000
IBRS/T2H2.8-07.0mm	7.00	2.80	0.588
IBRS/T2H3.0-08.0mm	8.00	3.00	0.833
IBRS/T2H3.2-06.0mm	6.00	3.20	0.212
IBRS/T2H3.4-09.0mm	9.00	3.40	1.111
IBRS/T2H3.4-10.0mm	10.00	3.40	1.428
IBRS/T2H5.3-12.0mm	12.00	5.30	2.000
IBRS/T2H6.7-12.0mm	12.00	6.70	2.000

ROUND STARDUST LIGHT WEIGHT



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRSLW/T2H0.8-03.0mm	3.00	0.80	0.038
IBRSLW/T2H1.2-04.0mm	4.00	1.20	0.075
IBRSLW/T2H1.3-05.0mm	5.00	1.30	0.133
IBRSLW/T2H1.4-06.0mm	6.00	1.40	0.233
IBRSLW/T2H1.5-09.0mm	9.00	1.50	0.819
IBRSLW/T2H1.6-05.0mm	5.00	1.60	0.127
IBRSLW/T2H1.6-06.0mm	6.00	1.60	0.448
IBRSLW/T2H1.6-08.0mm	8.00	1.60	0.602
IBRSLW/T2H1.7-07.0mm	7.00	1.70	0.316
IBRSLW/T2H1.8-08.0mm	8.00	1.80	0.436
IBRSLW/T2H1.8-10.0mm	10.00	1.80	0.840
IBRSLW/T2H2.6-10.0mm	10.00	2.60	0.943
IBRSLW/T2H2.7-11.0mm	11.00	2.70	1.111
IBRSLW/T2H2.9-10.0mm	10.00	2.90	0.917
IBRSLW/T2H3.0-10.0mm	10.00	3.00	0.763
IBRSLW/T2H3.1-12.0mm	12.00	3.10	1.408

ROUND STARDUST ONE HOLE




ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRS/S1H0.9-03.0mm	3.00	0.90	0.059
IBRS/S1H0.9-04.0mm	4.00	0.90	0.111
IBRS/S1H0.9-05.0mm	5.00	0.90	0.212
IBRS/S1H0.9-06.0mm	6.00	0.90	0.322
IBRS/S1H0.9-07.0mm	7.00	0.90	0.526
IBRS/S1H0.9-08.0mm	8.00	0.90	0.769
IBRS/S1H0.9-09.0mm	9.00	0.90	1.000
IBRS/S1H0.9-10.0mm	10.00	0.90	1.420

ROUND STARDUST SMART



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRSS/T2H1.8(1.0)-04.0mm	4.00	1.8(1.0)	0.095
IBRSS/T2H2.2(1.2)-05.0mm	5.00	2.2(1.2)	0.158
IBRSS/T2H2.4(1.8)-06.0mm	6.00	2.4(1.8)	0.231
IBRSS/T2H4.2(3.0)-10.0mm	10.00	4.2(3.0)	1.094

ROUND STARDUST X-LIGHT WEIGHT



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRSXLW/T2H1.8-08.0mm	8.00	1.80	0.264
IBRSXLW/T2H1.9-05.0mm	5.00	1.90	0.075
IBRSXLW/T2H2.0-06.0mm	6.00	2.00	0.108
IBRSXLW/T2H2.3-09.0mm	9.00	2.30	0.469
IBRSXLW/T2H2.5-10.0mm	10.00	2.50	0.546
IBRSXLW/T2H3.0-12.0mm	12.00	3.00	0.787

ROUNDELS



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDP/T2H1.1-03.0mm	3.00	1.10	0.031
IBRDP/T2H1.2-03.0mm	3.00	1.20	0.052
IBRDP/T2H1.2-03.5mm	3.50	1.20	0.050
IBRDP/T2H1.2-04.0mm	4.00	1.20	0.074
IBRDP/T2H1.5-04.2mm	4.20	1.50	0.103
IBRDP/T2H1.5-05.0mm	5.00	1.50	0.119
IBRDP/T2H1.8-05.0mm	5.00	1.80	0.169
IBRDP/T2H2.0-06.2mm	6.20	2.00	0.350
IBRDP/T2H2.1-06.0mm	6.00	2.10	0.155
IBRDP/T2H2.6-08.0mm	8.00	2.60	0.416

ROUNDELS CORRUGATED



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDC/T2H1.2-03.0mm	3.00	1.20	0.044
IBRDC/T2H1.5-04.0mm	4.00	1.50	0.087
IBRDC/T2H1.8-05.0mm	5.00	1.80	0.140
IBRDC/T2H2.0-06.0mm	6.00	2.00	0.243

ROUNDELS STARDUST



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBRDS/T2H1.2-03.0mm	3.00	1.10	0.052
IBRDS/T2H1.2-03.5mm	3.50	1.20	0.049
IBRDS/T2H1.2-04.0mm	4.00	1.20	0.072
IBRDS/T2H1.5-05.0mm	5.00	1.50	0.115
IBRDS/T2H2.1-06.0mm	6.00	2.10	0.153
IBRDS/T2H2.6-08.0mm	8.00	2.60	0.404

SAUCERS




ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBS/T2H1.0-03.0mm	3.00	1.00	0.055
IBS/T2H1.4-04.0mm	4.00	1.40	0.110
IBS/T2H1.4-05.0mm	5.00	1.40	0.180
IBS/T2H1.5-06.0mm	6.00	1.50	0.360

SAUCERS PLAIN SMART WITH OPEN LINK



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBSPS/LT2H2.5(1.5) 05.0x2.5mm	05.0x2.50	2.50	0.153
IBSPS/LT2H3.2(2.1) 06.0x3.35mm	06.0x3.35	3.20	0.228

SAUCERS STARDUST



ITEM CODE	SIZE (mm)	HOLE (mm)	WEIGHT/PC (gm)
IBSS/T2H1.0-03.0mm	3.00	1.00	0.055
IBSS/T2H1.4-04.0mm	4.00	1.40	0.110
IBSS/T2H1.4-05.0mm	5.00	1.40	0.180
IBSS/T2H1.5-06.0mm	6.00	1.50	0.360